



SIDEWALL AXIS D - FRAMING

(SCALE:1/100)



SIDEWALL AXIS D - SHEETING

(SCALE:1/100)



SIDEWALL AXIS D - INSIDE SHEETING

(SCALE:1/100)

I case of strong wind,
 doors have to be
 kept closed!

STD PROFILES DESCRIPTION LIST	NSTD PROFILES DESCRIPTION LIST
RBJ: TIE ROD DIAM 24 RBK: TIE ROD DIAM 30 SBG: STRUT PIPE 132*3.2 SBH: STRUT PIPE 168*4.0 UCQ: SILL CHANNEL 254*77*1.95 ZL: ZEE LAP COND. 254*2.00 ZLJ: ZEE LAP COND. 254*2.30 ZLK: ZEE LAP COND. 254*2.70 ZLN: ZEE LAP COND. 254*1.70	XCH-A: DOOR HEADER 305mm XCL-A: DOOR JAMB 305mm

- TECHNICAL NOTES**
- Drawings to read in conjunction with ASTRON technical manual
 - All measures in millimeters
 - * = Field adapted
 - Design of foundations by local engineer
 - Applicable column reactions see chart "Foundation Reactions"
 - Purlin spacings are rounded to mm and cannot be added
 - Flange bracings installation per standard detail W1 chapter
 - Field locate roof openings and accessories
 - Compensation of panel tolerance currently during installation
 - Unless noted differently:
 - Purlin diaphragms - At peak (see W316, W326, W327)
 - Double purlins (see W311, W321)
 - Wind bracing details, see chapter W2
 - Roof stabilisation if necessary:
 - Purlin spacers (HSA, HSB, HSC, HSD. SEE W37 AND W38)
 - Sag rods (RSG...) see W6 and cross section
 - Tie straps (HC 250) see W7 chapter
 - Field cut and adapt girts and panels shown in overlap with an accessory element

K.Rafnsson Tæknipjónusta
 Klappartíg 20 • 101 Reykjavík
 Kt. 220850-2189

This design is the property of ASTRON BUILDINGS, a Division of Parker Hamlin. Copying and manufacturing components according to these drawings or calculations is illegal.

DET:	41100	41199	41200	41225	41226	4131	4135	4143	1k	17.04.02	Stalex (email)	
	5141	K280	K281	K282	K283	S131	S143	S182	S231	S243	4x 25.04.02	Stalex, Samuelsson
	S931	S932	S933	S934	V431	V443	W211	W212	W221	W222	2x 25.04.02	Stalex, Erection
	W241	W321										

PROJ: Berghella MHL-2 - Hafnarforður Island	B/D: Stalex
BUILDING: AZW1 24.9% SPAN:17.000m E.H:6.400m L:58.50m ALT:	108560
LOADS: LLW/Axdl.: 100/160/20 (Da/N/m2)	CRANE: 60kN

NORMS:	PRIM. IST	SEC. DS	MEMOL - 11k33
DATE: 05.04.02	ENG.: W. Altmann	DRAF: K. Olsson	

ASTRON WALL FRAMING AND SHEETING AXIS D
 LANGVEGGUR-LÍNA D
 REV. A: Additional purlin axis 34
 REV. B: wall bracing and wall framing moved 25.06.2002 J. Speer
 REV. C: Extra purlins, position of purlins, Number of panels
 ASTRON BUILDINGS S.A. - P.O. Box 152 - L-9202 DIEKIRCH+LUXEMBOURG - Tel: +352 80 29 11 - Fax: +352 80 34 66