



SIDEWALL AXIS F - INSIDE SHEETING

(SCALE:1/100)



ENDWALL AXIS 12 - INSIDE SHEETING

(SCALE:1/100)



SIDEWALL AXIS K - INSIDE SHEETING

(SCALE:1/100)

HÚS OG VIND EHF.  
 ARKITEKTUR, VIND, VANDI, LEIÐSTJÓRN  
 Kt. 510932-2420 - Vsk. 37600  
 Skúlagata 61 - 105 Reykjavík  
 Sími 562-2420 - Fax 562-2430

FORM+RYMI  
 ELDUGA BRUNNEN  
 Stálbyggingar  
 Stálbyggingar

**TECHNICAL NOTES**

- Drawings to read in conjunction with ASTRON technical manual
- All measures in millimeters
- \* = Field adapted
- Design of foundations by local engineer
- Applicable column reactions see chart "Foundation Reactions"
- Purlin spacings are rounded to mm and cannot be added
- Flange bracings installation per standard detail W1 chapter
- Field locale roof openings and accessories
- Compensation of panel tolerance currently during installation
- Unless noted differently:
  - Purlin diaphragms - At peak (see W316, W326, W327)
    - Double purlins (see W311, W321)
  - Wind bracing details, see chapter W2
  - Roof stabilisation if necessary:
    - Purlin spacers (HSA, HSB, HSC, HSD. SEE W37 AND W38)
    - Sag rods (RSG, ...) see W6 and cross section
    - Tie straps (HC 250) see W7 chapter
- Field cut and adapt girls and panels shown in overlap with an accessory element

This design is Astron property, copying and manufacturing components according to these drawings or calculations is illegal.

DET: 4T199 4T200 4T201 4T223

15 APR. 2002

VC

4x 07/06/01 Stalex EHF.  
 TRANSMITTALS

**ISHELLA 10**

PROJ: VELSMOJA 2 - ICELAND BID: STALEX EHF.

BUILDING: AL -18.7% SPAN:12850m EH:10.219m L:11.31m ALT:

LOADS: LLW:Addl.: 100/165/30 (DaNm2) CRANE:

NORMS: PRIM. DIN SEC. AISI MENBR - 08m49

**ASTRON** INSIDE SHEETING

REV. A  
 REV. B  
 REV. C

DATE: 06/06/01  
 ENG.: P.FAUTSCH  
 DRAF.: T.BRUEGGEMANN

COMMERCIAL INTERTECH S.A. - P.O.Box152 - L-9202 DIEKIRCH-LUXEMBOURG - tel(352)802911