


- NOTES:**
- SEE SHEET S0.1 FOR GENERAL STRUCTURAL NOTES.
 - REFER TO SHEET S4.1 FOR ALL SIMPLE SHEAR CLIP ANGLE CONNECTIONS, U.N.D.
 - ◆ DENOTES LOCATIONS OF VERTICAL BRACING
 - FOR FLOOR SLAB PLAN, REFER TO SHEET S5.1.



Constructive Engineering Design Inc.
Consulting Structural Engineers
222 W. Gregory Blvd., Suite 340
Kansas City, Missouri 64114-1127


Building Code: 86MBMA
Live Ld(w/D Trib Red) 205 kgsm
Coll. Ld (gravity): 24.4 kgsm
Coll. Ld (uplift): 0.0 kgsm
Wind Speed: 193 kmph
Wind Exp. Cat.: C
Ground Snow: 178.6 kgsm
Roof Snow: 100.0 kgsm
Snow Exp. Cat.: 3
Seismic Zone: 3
Building Use Cat.: 4
Auxiliary Loads: NDNE

This Drawing, including the information hereon, remains the property of VP Buildings.
It is provided for Erecting the Building described in the applicable Purchase Order and shall not be modified, reproduced or used for any other purpose without prior written approval of VP Buildings.
The General Contractor and/or Erector is solely responsible for accurate, good quality workmanship in erecting this Building in conformance with the framing details referenced in this Drawing, all applicable VP Buildings Erection Details and all industry standards pertaining to proper erection, including the correct use of temporary bracing.


REV	DATE	BY	DESC.	BUILDER
				International Client
				Sindri
				Reykjavik, Iceland
				Sindri Workshop
				Office

SCALE: NTS

QUOTE #	JOB #
	P9924127
	DATE 07/20/99
	TIME XX:XX
	DRAW/CHECK CW/ME
	PAGE S2.1



Byggingafræðingur
Afgreifing
20. Júlí 1999
Sigurbjörn Haldrupsson
PLAN NORTH



Verkfæðistofa Norðurlands ehf.
Höfðabót 4 600 Akureyri, kt. 560175-0869
Eiríkur Jónsson byggingaverkfr.
kt. 051045-4679
VERKFRÆÐISTOFA NORÐURLANDS ehf.