



SECONDARY			
MARK	LENGTH	THK	DEPTH
ZG24	7882	1.5 mm	216 mm
ZG44	1504	1.7 mm	216 mm
ZG45	1504	1.5 mm	216 mm
ZG65	7876	1.5 mm	216 mm
ZG67	7876	1.5 mm	216 mm

All Dimensions are millimeters [mm.] - Unless Noted



## SOUTH WALL ELEVATION

This Drawing is Sealed only as to the Components furnished by VP Buildings



Verkfæðistofa Norðurlands ehf.  
Höfðabót 4 600 Akureyri. kt. 560175-0869  
Eiríkur Jónsson byggingaverkfr.  
kt. 051045-4679

VERKFRÆÐISTOFA NORÐURLANDS ehf.

SEE DETAIL S2 FOR GIRTS TO COLUMN CONNECTIONS  
SEE DETAIL S4 FOR GIRTS CONNECTIONS AT CORNERS  
SEE DETAIL S9 FOR PARAPET DETAIL ON NORTH AND SOUTH WALLS

On: nasrv Projky: 4687 Bldg: 6 Plane: 5


- UNLESS NOTED, USE 1/2" DIAMETER A-307 BOLTS FOR GIRTS LAP, GIRTS TO FRAME, FLANGE BRACE TO FRAME, FLANGE BRACE TO GIRTS, JAMB AND HEADER CONNECTIONS. SEE JOB DETAILS FOR BOLT LENGTHS.
- WIND AND FLANGE BRACING ARE AN INTEGRAL PART OF THE WALL STRUCTURAL SYSTEM AND SHOULD BE PROPERLY INSTALLED PRIOR TO ERECTION OF WALL AND ROOF SHEETS. REMOVAL OR ALTERATION OF WALL BRACING WITHOUT PRIOR AUTHORIZATION IS PROHIBITED.

Building Code: 86MBMA  
Live Ld(W/Trib Red) 205 kgsm  
Coll. Ld (gravity): 24.4 kgsm  
Coll. Ld (uplift): 0.0 kgsm  
Wind Speed: 193 kmph  
Wind Exp. Cat.: C  
Ground Snow: 178.6 kgsm  
Roof Snow: 102.5 kgsm  
Snow Exp. Cat.: 3  
Seismic Zone: 3  
Building Use Cat.: 4  
Auxiliary Loads: NONE

This Drawing, including the information hereon, remains the property of VP Buildings.  
It is provided for Erecting the Building described in the applicable Purchase Order and shall not be modified, reproduced or used for any other purpose without prior written approval of VP Buildings.  
The General Contractor and/or Erector is solely responsible for accurate, good quality workmanship in erecting this Building in conformance with this Drawing. Details referenced in this Drawing, all applicable VP Buildings Erection Details and all industry standards pertaining to proper erection, including the correct use of temporary bracing.

SOUTH WALL ELEVATION (SECONDARY)			
REV	DATE	BY	DESC.
			BUILDER
			CUSTOMER
			LOCATION
			PROJECT
			BUILDING
SCALE:		NTS	

QUOTE #



JOB #	P9924127
DATE	07/13/99
TIME	16:25
DRAW/CHECK	CW/ME
PAGE	S6.3