


- SKYRINGAR:**
1. SKEMATISK KERFINGIND AF BRÝSTILOFTSKERFI, SJA TEKNINGAR NR. G0258A/M45/6/034 OG /035.
 2. GRUNNINGD DREPLAÐNA Á EFTRI HÆÐ, SJA TEKNINGU NR. G0258A/M25/1/086.
 3. [2800] HÆÐ FRA NEÐSTA GÖLFU Í MEÐJA PPLU (NEÐSTA GÖLFU KÖTI 0.000)
 4. SERMINDIR AF BRÝSTILOFTI SEM KEMST Í SKERTINGU VÐ FRAMLEIÐSLUENI, STUÐAR MÆRKTUM TYPE A & B F SJA TEKNINGU NR. G0258A/M45/4/108. (PRODUCT CONTACT COMPRESSED AIR)
 5. SERMINDIR AF BRÝSTILOFTI SEM KEMST Í SKERTINGU VÐ FRAMLEIÐSLUENI, STUÐAR MÆRKTUM TYPE C & D F SJA TEKNINGU NR. G0258A/M45/4/109. (PRODUCT CONTACT COMPRESSED AIR)
 6. SERMINDIR AF BRÝSTILOFTI AD TÆKUM OG BÓNADI MÆRKTUM TYPE E & F SJA TEKNINGU NR. G0258A/M45/4/110. (INSTRUMENT QUALITY COMPRESSED AIR)
 7. TAKVAR SEMHENDUÐLAD BRÝSTILOFTI SEM KEMST Í SKERTINGU VÐ FRAMLEIÐSLUENI, LOFT SÁÐ OG ÞURRKAÐ VÐ TOPUNARSTAD (PRODUCT QUALITY COMPRESSED AIR)

Rev	Description	Date
C-15	NEÐR BRYTUNAR OG LAGUNARVIRKJON TENGING STAFVIRÐ OG VEIÐRAN Á STAFNA	30/10/98
C	ADDITIONAL PIPING CONNECTIONS TO BE DISCHARGE CONTROL PRESSURE CONTROL PANEL AND THE WASH JUNCTION FOR ABOVE PERFORM LEVELS UPDATED. REVISION BY: CH - ADDED BY: EGG	04/03/98
B	POSITIONS OF ISOLATING VALVES IDENTIFIED. TER-CA-15 CHANGED TO PRODUCT CONTACT AIR PIPING FOR TENDER WORK. REVISION BY: CH - CHECKED BY: DAF	14/11/97
A	NOTATION ADDED ISSUED FOR TENDER WORK-15. REVISION BY: CH - CHECKED BY: EGG	10/10/97

Drawing Created by CH on 19/10/97
 CAD by DVF/SP Plotted



Client
DELTA HF
ICELAND
ASKILID, ELDR
TEKNIKG OG LID

Project
 NÝ LYFJAVERKSMÍÐJA

Drawing Title
 BRÝSTILOFTSKERFI
 GRUNNINGD NEÐRI
 HÆÐAR

CAD File M085C-15 Scale 1:75
 Drawing No.
 G0258A/M15/1/085C-15

THIS IS A COMPUTER PRODUCED DRAWING
 DO NOT AMEND BY HAND

