

Model	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11
Heiti	1.1-BÍLAKJALLARAHURÐ	1.2-LOFTRÆSTIHURÐ	1.4-H-V	1.5-H-V	2.1-H-V	2.2-H-V-F	2.3-H-V	3.1-RH-H-F	3.2-RH-V-F	3.3-RH-V-F	3.4-RH-H-F	3.5-RH-H	3.6-RH-V	
Magn	1	2	1	1	1	1	1	7	6	9	7	2	3	
B x H	2.880x2.250	580x1.080	960x2.190	980x2.070	1.100x2.240	1.100x2.240	980x2.280	2.000x2.275	2.000x2.275	2.000x2.625	2.000x2.625	2.000x2.935	2.000x2.935	
Umferðarýmnd B x H	2.780x2.200	500x1.040	880x2.150	930x2.045	1.020x2.200	1.020x2.200	900x2.240	960x2.235	960x2.235	960x2.215	960x2.215	960x2.215	960x2.215	
Gatmál	-2.800x2.200	600x1.100	980x2.200	1.000x2.080	1.120x2.250	1.120x2.250	1.000x2.295	2.020x2.285	2.020x2.285	2.020x2.635	2.020x2.635	2.020x2.945	2.020x2.945	
Grunnmynd														
Útlit að utanverðu														
Brunakröfur				EI-60CS										
Opnun	L	L	L	L	L	L	L	R	L	L	R	R	L	

H.01

Hurðir - Úti

1:1



9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11
4.1-H-H	4.2-H-V	4.3-H-H-F	5.1-H-H-F	5.2-H-H-F	5.3-H-V-F	6.1-H-H-F	6.2-H-V-F	6.3-H-H-F	6.4-H-H	6.5-H-H					
1	1	1	2	2	4	3	4	1	1	1	63				
2.000x2.240	2.000x2.240	1.550x2.240	1.180x2.275	1.500x2.275	1.500x2.275	1.500x2.275	1.500x2.625	1.180x2.625	1.700x2.585	1.800x2.935					
1.000x2.200	1.000x2.200	1.000x2.200	800x2.235	800x2.235	800x2.235	800x2.215	800x2.215	800x2.215	1.000x2.155	1.000x2.200					
2.020x2.250	2.020x2.250	1.570x2.250	1.200x2.285	1.520x2.285	1.520x2.285	1.520x2.635	1.520x2.635	1.200x2.635	1.720x2.595	1.820x2.945					
L	R	R	R	R	R	L	R	L	R	R	E30 + E30-C	L	R	R	R

H.01

Hurðir - Úti

1:1

Hindrunarlaus umferðarbreidd allra inngangsdýra bygginga skal minnst vera 0,83 m og samsvarandi hindrunarlaus hæð minnst 2,07 m.
Hindrunarlaus umferðarbreidd allra svaladyra skal minnst vera 0,80 m og samsvarandi hæð minnst 2,00 m.



REV.	BREYTINGAR	dags.

+Arkitektar
Hringhamar 9-11
Hafnarfjörður
Hurðir - Úti

dags. 12.04.2022
mkv. 1:1
teikn. AB, AK, ÁK, AMK
verknr. 2201

Óli mátt samþykka á stöðum. Hafi skil samband við hönnuði of útsvarissmátt.
Haraldur Ingvarsson arkitekt 030956-3389 h@plusark.is
Páll Hjaltason arkitekt 070859-2119 ph@plusark.is
Fiskisöld 31 101 Reykjavík 562-5959 www.plusark.is

TEIKNING 50 AF 67
AV.7.1