

PHASE 3 36

37

38

39

40

41

42

43

44

45

46

47

48


49

50

51


52

26" 520 O/O STEEL



ROOF FRAMING PLAN

PHASE 3



KEY PLAN

□ DENOTES BRACED BAY

4-12-97
 UB

FOR CONSTRUCTION

ISAL DWG. NO. 185.963 5012BA2654 PHASE 3

DESCRIPTION: ERECTION PLAN - ROOF FRAMING			
CUSTOMER: ISTAK HF			
LOCATION: STRAUMSVIK, ICELAND			
BUYER NO:			
DRAWING BY	DATE	CHECK BY	DATE
JD/ERN	03-15-96	UB	5/26/96
JOB # 12547	LOADS	DRAWING # E3	ISSUE
	SEE COVER		



BOLT DIAMETER LEGEND		ISSUE	REV. DESCRIPTION	DATE
1/2" = 12.70mm	5/8" = 32.23mm	A	APPROVAL	03-21-96
3/8" = 19.83mm	1" = 25.40mm	C	CONSTRUCTION	5/26/96
3/4" = 19.05mm	1 1/8" = 31.75mm			

NOTE: ALL CONNECTION BOLTS ARE A307 1" x 35mm LONG UNLESS NOTED.

ERECTOR NOTE:
 ERECT STEEL WITH PIECE MARKS CORRESPONDING TO LOCATION OF PIECE MARKS ON ERECTION DRAWINGS.
 ERECT AND PLUMB BAYS PROGRESSIVELY TO INSURE OVERALL WIDTH AND LENGTH IS MAINTAINED.

CUSTOMER NOTE:
 REFERENCE KEY PLAN FOR CROSS BRACING & STRUT ZEE LOCATIONS
 CROSS BRACING & STRUT ZEES ARE TO BE LOCATED IN THE SAME BAY