

Mark	Part	Thick.	Depth	Lap
G1896	021G0906514	0.0820	8 1/2"	
G1897	022G0903515	0.0730	8 1/2"	
G1898	023G1010312	0.1050	8 1/2"	



OFFICE WALL SECONDARY ELEVATION AT 13

VP Ref: Shape Name = Office area, Wall = 5

Norðurhella 2 - 221 Hafnarfjörður FOR CONSTRUCTION

Samþykkt þann  
23 JAN. 2008  
Byggingfulltrúinn í Hafnarfirði  
F.h. Sigurbjartur Halldórsson

EYKT  
26 OCT 2007  
MOTTEKID

**VSÓ RÁÐGJÖF**

Með áritun á uppdrátt þennan ábyrgist VSÓ Ráðgjöf ehf. kt. 661272-0979, að hönnun sé faglega unnin og í samræm við lög og reglugerðir um byggingarmál.

1. UNLESS NOTED, USE 1/2 X 1 1/2 A-325 SNUG TIGHTENED BOLTS FOR GIRT LAP, GIRT TO FRAME, FLANGE BRACE TO FRAME, FLANGE BRACE TO GIRT, JAMB AND HEADER CONNECTIONS.  
2. WIND AND FLANGE BRACING ARE AN INTEGRAL PART OF THE WALL STRUCTURAL SYSTEM AND SHOULD BE PROPERLY INSTALLED PRIOR TO ERECTION OF WALL AND ROOF SHEETS. REMOVAL OR ALTERATION OF WALL BRACING WITHOUT PRIOR AUTHORIZATION IS PROHIBITED.

THE VP ENGINEER'S SEAL APPLIES ONLY TO THE WORK PRODUCT OF VP AND DESIGN AND PERFORMANCE REQUIREMENTS SPECIFIED BY VP. THE VP ENGINEER'S SEAL DOES NOT APPLY TO THE PERFORMANCE OR DESIGN OF ANY OTHER PRODUCT OR COMPONENT FURNISHED BY VP EXCEPT TO ANY DESIGN OR PERFORMANCE REQUIREMENTS SPECIFIED BY VP.

THIS DRAWING, INCLUDING THE INFORMATION HEREON, REMAINS THE PROPERTY OF VP BUILDINGS. IT IS PROVIDED SOLELY FOR ERECTING THE BUILDING DESCRIBED IN THE APPLICABLE PURCHASE ORDER AND SHALL NOT BE MODIFIED, REPRODUCED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN APPROVAL OF VP BUILDINGS.

THE GENERAL CONTRACTOR AND/OR ERECTOR IS SOLELY RESPONSIBLE FOR ACCURATE, GOOD QUALITY WORKMANSHIP IN ERECTING THIS BUILDING IN CONFORMANCE WITH THIS DRAWING, DETAILS REFERENCED IN THIS DRAWING, ALL APPLICABLE VP ERECTION GUIDES, AND INDUSTRY STANDARDS PERTAINING TO PROPER ERECTION, INCLUDING THE CORRECT USE OF TEMPORARY BRACINGS.

REV	DATE	BY	DESCRIPTION

VP Buildings, Inc.  
3200 Players Club Circle Memphis TN 38125

NTS

OFFICE WALL SECONDARY ELEVATION AT 13

Norðurhella 2 - Hafnarfirði  
Útveggur í línu 13  
Skrifstofuhluti  
Bl. nr. 49

	JOB NO	07-4487
	DATE	3/14/2007
VPC VERSION: 5.6d	DRAWING CHECK	ELM ELM
	PAGE	49